

CONVEYOR AND PROCESS BELTS

TECHNICAL DATA SHEET


CODE NA-1207C_D13

COMPOSITION

PRODUCT SYSTEM

TYPE

HP Compact Drive 25/40 blue



Description	Compact belt with traction core treated to avoid waving, timing profile on the drive side				
Material	Polyurethane (TPU) - HP® system				
Thickness	2.50 mm <i>0.10 in.</i>				
Weight	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				
Surface pattern	Smooth				
Colour	HP [®] blue				
Coefficient of friction	MF				

TECHNICAL SPECIFICATIONS


Elongation at 1% 8		N/mm			46 lbs./in.	
Pitch 40 ± 0.4 mm			1.57 ± 0.16 in.			
Temperature resistance (2) (1) Use of the belt with limit val	ues may redu	min. max.	-30 +90	°C	-22 194	•
Max. production width			2000	mm	79	in.
Minimum roller diameter:						
■ Bending roller		80	mm	3.2	in.	
■ Counter-bending rolle		120	mm	4.7	in.	
Coefficient of friction:						
■ Stainless steel - dry/wet				0.50/0.42 [-]		
■ UHMW ⁽²⁾ - dry/wet				0.42	2/0.35	[-]
(2)UHMW = Ultra High Molecular Weight						

FEATURES		
Humidity influence		
Suitable to metal detector		
Permanent antistatic dynamically (UNI EN ISO 21179)		
Static conductivity (UNI EN ISO 284)		
C.I.P. (Clean In Place)		
Conveying on plastic strips UHMW ⁽²⁾		
Conveying on rollers		
Troughed conveying		
Swan neck conveying	yes	
Inclined conveying	no	
Accumulators belts	no	
Curved conveyor	no	
Chemical resistances <u>link</u>		

COMPLIANCE

REACH EC 1907/2006 Regulation and Amendments EC 1935/2004 Regulation and Amendments EC 2023/2006 Regulation and Amendments EU 10/2011, 2017/752 Regulation and Amendments HACCP (Hazard Analysis and Critical Control Points) FDA (Food and Drug Administration) USDA Meat&Poultry (United States Department of Agriculture) NSF/ANSI 3-A 14159-3-2014 Regulation and Amendments





SUITABLE FOR

Food: meat and fish processing Food: seafood processing Food: cheese processing Fruits and vegetables

Food: bakery

Food: sweet and salty snacks

NOTES

Issue: 13-09-2016 Last Update: 10-01-2019

DISCLAIMER

DISCLAIMERThe information contained in this document describes the features of the CHIORINO product as tested in a laboratory environment at a temperature of +23 degrees °C at 50% relative humidity. It does not necessarily reflect the conditions of industrial use and it does not quarantee the product to be suitable for certain applications. The client remains liable for the proper selection and correct use of the CHIORINO product. CHIORINO cannot be held responsible should damages arise from the use of its products. Necessary alterations to this data can be made without prior notice.