

CONVEYOR AND PROCESS BELTS

CODE NA-1294C_D13 TYPE COMPOSITION 40 mn 2.5 mm 13 mm **PRODUCT SYSTEM** Description Compact belt with traction core treated to avoid waving, timing profile on the drive side Material Polyurethane (TPU) - HP[®] system Thickness 2.50 mm 0.10 in. Weight 2.90 kg/m² + 0.18 kg/m (for row of teeth) 0.59 lbs./sq.ft + 0.12 lbs./ft (for row of teeth) Surface pattern ΡN HP[®] blue Colour Coefficient HF of friction **TECHNICAL SPECIFICATIONS** 8 N/mm Elongation at 1% 46 lbs./in. Pitch 40 ± 0.4 mm 1.57 ± 0.16 in. min. -30 °C -22 °F Temperature resistance⁽²⁾ +90 194 °F max. °C ⁽¹⁾ Use of the belt with limit values may reduce its life Max. production width 2000 mm 79 in. Minimum roller diameter: Bending roller Counter-bending roller Coefficient of friction: Stainless steel - dry/wet ■ UHMW⁽²⁾ - dry/wet ⁽²⁾UHMW = Ultra High Molecular Weight Issue: 13-09-2016

TECHNICAL DATA SHEET

HP Compact Drive 25/40 PN blue

FEATURES

Humidity influence	no
Suitable to metal detector	yes
Permanent antistatic dynamically (UNI EN ISO 21179)	no
Static conductivity (UNI EN ISO 284)	no
C.I.P. (Clean In Place)	yes
Conveying on plastic strips UHMW ⁽²⁾	yes
Conveying on rollers	yes
Troughed conveying	no
Swan neck conveying	yes
Inclined conveying	yes
Accumulators belts	no
Curved conveyor	no
Chemical resistances link	12

COMPLIANCE

REACH EC 1907/2006 Regulation and Amendments EC 1935/2004 Regulation and Amendments EC 2023/2006 Regulation and Amendments EU 10/2011, 2017/752 Regulation and Amendments HACCP (Hazard Analysis and Critical Control Points) FDA (Food and Drug Administration) HALAL (World Halal Authority)

SUITABLE FOR

Food: meat and fish processing Food: seafood processing Food: cheese processing Fruits and vegetables Food: bakery Food: sweet and salty snacks

80 mm 3.2 in. 120 mm 4.7 in. 0.50/0.42 [-] 0.42/0.35 [-]	NOTES
	Last Update: 20-12-2018

DISCLAIMER The information contained in this document describes the features of the CHIORINO product as tested in a laboratory environment at a temperature of +23 degrees °C at 50% relative humidity. It does not necessarily reflect the conditions of industrial use and it does not guarantee the product to be suitable for certain applications. The client remains liable for the proper selection and correct use of the CHIORINO product. CHIORINO cannot be held responsible should damages arise from the use of its products. Necessary alterations to this data can be made without prior notice.