

#### **CONVEYOR AND PROCESS BELTS**

## **TECHNICAL DATA SHEET**

## **CODE** NA-1328C\_D13

#### **TYPE**

# HP Compact Drive 25/40 RG blue

# COMPOSITION 40 mm

## **PRODUCT SYSTEM**

13 mm

15	
	<b>C</b> OMPACT <sup>®</sup>
,	DRIVE

Description	Compact belt with traction core treated to avoid waving, timing profile on the drive side					
Material	Polyurethane (TPU) - HP® system					
Thickness	2.50 mm <i>0.10 in.</i>					
Weight	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$					
Surface pattern	RG					
Colour	HP <sup>®</sup> blue					
Coefficient of friction	HF					

#### **TECHNICAL SPECIFICATIONS**

Elongation at 1%	8	N/mm		4	46 Ibs./in.
Pitch	40 ± 0.4	mm	1.57 ± 0.16 in.		
Temperature resistance (2)		min. max.	-30 +90	°C	-22 °F 194 °F
(1) Use of the belt with limit values may reduce Max. production width			2000	mm	79 in.
Minimum roller diameter  Bending roller  Counter-bending roller			80 120	mm mm	3.2 in. 4.7 in.
Coefficient of friction:  Stainless steel - dry/wet  UHMW <sup>(2)</sup> - dry/wet				0.50/0.42 [-] 0.42/0.35 [-]	
(2)UHMW = Ultra High Molecu	lar Weight				

FEATURES		
Humidity influence	no	
Suitable to metal detector		
Permanent antistatic dynamically (UNI EN ISO 21179)		
Static conductivity (UNI EN ISO 284)		
C.I.P. (Clean In Place)	yes	
Conveying on plastic strips UHMW <sup>(2)</sup>		
Conveying on rollers	yes	
Troughed conveying		
Swan neck conveying	yes	
Inclined conveying	yes	
Accumulators belts	no	
Curved conveyor	no	

#### **COMPLIANCE**

Chemical resistances link

REACH EC 1907/2006 Regulation and Amendments EC 1935/2004 Regulation and Amendments EC 2023/2006 Regulation and Amendments EU 10/2011, 2017/752 Regulation and Amendments HACCP (Hazard Analysis and Critical Control Points) FDA (Food and Drug Administration) HALAL (World Halal Authority)



12

## SUITABLE FOR

Food: meat and fish processing Food: seafood processing Food: cheese processing Fruits and vegetables

Food: bakery

Food: sweet and salty snacks

Last Update: 20-12-2018

# **NOTES**

Issue: 13-09-2016

## DISCLAIMER

**DISCLAIMER**The information contained in this document describes the features of the CHIORINO product as tested in a laboratory environment at a temperature of +23 degrees °C at 50% relative humidity. It does not necessarily reflect the conditions of industrial use and it does not guarantee the product to be suitable for certain applications. The client remains liable for the proper selection and correct use of the CHIORINO product. CHIORINO cannot be held responsible should damages arise from the use of its products. Necessary alterations to this data can be made without prior notice.